

Soils Map





State: Indiana County: St Joseph Location: 10-35N-1W Township: Lincoln Acres: 39.76 6/8/2017 Date:







| Area | Symbol: IN091, Soil Area | Versi | on: 21 |
|------|--------------------------|-------|------------------|
| Area | Symbol: IN141, Soil Area | Versi | on: 20 |
| Code | Soil Description | Acres | Percent of field |

| Area Symbol: IN141, Soil Area Version: 20 | | | | | | | | | | | |
|---|---|-------|------------------|-------------------------|----------------|---|----------------|---------------------|------|----------|-----------------|
| | Soil Description | | Percent of field | Non-Irr Class Legend | Water Table | Restrictive Layer | Soil Drainage | Non-Irr Class *c | Corn | Soybeans | Winter wheat |
| AxvA | Auten loam, 0 to 1 percent slopes | 14.78 | 37.2% | | 1.2ft. | 1.8ft. (Strongly contrasting textural stratification) | | | 120 | 36 | 54 |
| GczA | Gilford sandy loam, 0 to 2 percent slopes, gravelly subsoil | 13.88 | 34.9% | | Oft. | > 6.5ft. | Poorly drained | IIIw | 147 | 41 | 59 |
| QuiA | Quinn loam, 0 to 1 percent slopes | 7.17 | 18.0% | | 0.5ft. | > 6.5ft. | Poorly drained | llw | 137 | 35 | 56 |
| BshA | Brady sandy loam, 0 to 1 percent slopes | 2.59 | 6.5% | | 1ft. | 4.6ft. (Strongly contrasting textural stratification) | | | 124 | 35 | 55 |
| ReyA | Rensselaer loam, 0 to 1 percent slopes | 1.34 | 3.4% | | Oft. | > 6.5ft. | Poorly drained | llw | 172 | 48 | 69 |
| Weighted Average | | | | | | | | 134.5 | 37.9 | 56.7 | |

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.