



Soils Map



Soils data provided by USDA and NRCS.

©2017 AgriData, Inc.



©2017 AgriData, Inc.

State: **Michigan**
 County: **Hillsdale**
 Location: **9-9S-2W**
 Township: **Amboy**
 Acres: **77.94**
 Date: **4/7/2017**



Maps Provided By:



© AgriData, Inc. 2017

www.AgriDataInc.com



Area Symbol: MI059, Soil Area Version: 14
 Area Symbol: OH171, Soil Area Version: 13

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Corn	Soybeans	Winter wheat	*eFOTG PI
20	Pewamo silt loam	34.70	44.5%		0ft.	> 6.5ft.	Poorly drained	IIw	130	42	60	
18B	Glynwood-Blount complex, 1 to 6 percent slopes	18.39	23.6%		2.7ft.	> 6.5ft.	Moderately well drained	Ile	120	35	40	
19B	Blount silt loam, 0 to 4 percent slopes	11.35	14.6%		2ft.	> 6.5ft.	Somewhat poorly drained	Ile	115	40	47	
18C2	Morley loam, 6 to 12 percent slopes, eroded	3.96	5.1%		> 6.5ft.	> 6.5ft.	Well drained	IIIe	90	33	44	
13B	Conover loam, 1 to 4 percent slopes	2.81	3.6%		1.5ft.	> 6.5ft.	Somewhat poorly drained	Ile	120	36	60	
58B	Seward loamy sand, 0 to 4 percent slopes	2.15	2.8%		3.2ft.	> 6.5ft.	Moderately well drained	IIs	90	32	38	
HnA	Haskins loam, 0 to 3 percent slopes	2.05	2.6%		1.2ft.	> 6.5ft.	Somewhat poorly drained	IIw	110	42	46	77
BnB	Blount loam, 2 to 6 percent slopes	1.70	2.2%		0.7ft.	2.9ft. (Densic material)	Somewhat poorly drained	Ile	140	46	63	74
SdB	Seward loamy fine sand, 2 to 6 percent slopes	0.39	0.5%		2ft.	> 6.5ft.	Moderately well drained	Ile	90	30	34	60
33	Houghton muck, disintegration moraine, 0 to 2 percent slopes	0.31	0.4%		0ft.	> 6.5ft.	Very poorly drained	Vw				
Ca	Carlisle muck, disintegration moraine, drained, 0 to 2 percent slopes	0.13	0.2%		0ft.	> 6.5ft.	Very poorly drained	IIIw	127	44		68
Weighted Average									120.9	39	51.2	4.1

*eFOTG PI: Obtained from the NRCS eFOTG (<http://efotg.sc.egov.usda.gov>)

*eFOTG PI index for OH was updated on 3/8/2017

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.