



# Soils Map



State: **Michigan**  
 County: **Washtenaw**  
 Location: **5-4S-7E**  
 Township: **Augusta**  
 Acres: **449.84**  
 Date: **7/29/2025**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2025 AgriData, Inc.

© AgriData, Inc. 2023

www.AgriDataInc.com

Area Symbol: MI161, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
KnA	Kibbie fine sandy loam, 0 to 4 percent slopes	215.05	47.8%		lle		125		20		38		72	68
Pc	Pella silt loam	148.67	33.0%		llw		140				48		66	71
NaA	Nappanee silty clay loam, 0 to 2 percent slopes	23.85	5.3%		lllw		120		19		40		60	54
ZfsacA	Ziegenfuss clay loam, 0 to 1 percent slopes	15.36	3.4%		llw								60	60
ThA	Thetford loamy sand, 0 to 4 percent slopes	15.30	3.4%		lllw		85	148	14	22	32		50	33
Fd	Fill land	9.72	2.2%											
SnB	Sisson fine sandy loam, 2 to 6 percent slopes	9.72	2.2%		lle		115		17		35		69	68



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
SpB	Spinks loamy sand, 0 to 6 percent slopes	9.49	2.1%		lls	lls	75	165	13	24	27	50	56	34
OsB	Oshtemo loamy sand, 0 to 6 percent slopes	1.85	0.4%		lls	lle	85	170	14	26	28	55	68	47
MfA	Metamora sandy loam, 0 to 4 percent slopes	0.55	0.1%			lle	120		19		36		70	54
YpA	Ypsi sandy loam, 0 to 4 percent slopes	0.28	0.1%			lle	110		17		37		62	54
<b>Weighted Average</b>					*-	*-	<b>119.9</b>	<b>9.2</b>	<b>11.8</b>	<b>1.4</b>	<b>38.7</b>	<b>1.3</b>	<b>*n 66.2</b>	<b>*n 64.5</b>



Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

\*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

\*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

# Soils Map



State: **Michigan**  
 County: **Washtenaw**  
 Location: **18-4S-7E**  
 Township: **Augusta**  
 Acres: **83.75**  
 Date: **7/14/2025**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: MI161, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
YpA	Ypsi sandy loam, 0 to 4 percent slopes	29.24	35.0%		lle		110	17	37	62	54
Ws	Wauseon fine sandy loam	20.03	23.9%		lllw		100		40	58	54
ZfsacA	Ziegenfuss clay loam, 0 to 1 percent slopes	10.78	12.9%		llw					60	60
Ln	Lamson-Colwood complex	7.57	9.0%		V w					30	22
NaA	Nappanee silty clay loam, 0 to 2 percent slopes	6.54	7.8%		lllw		120	19	40	60	54
WaA	Wasepi sandy loam, 0 to 4 percent slopes	3.92	4.7%		llls		85	14	32	55	35
BnB	Boyer loamy sand, 1 to 6 percent slopes	3.89	4.6%		lls	lle				53	36
DoA	Dixboro-Kibbie fine sandy loams, 0 to 4 percent slopes	1.78	2.1%		llw		115	19	35	63	57
<b>Weighted Average</b>					<b>2.68</b>	<b>*-</b>	<b>78.1</b>	<b>8.5</b>	<b>27.8</b>	<b>*n 57</b>	<b>*n 50.2</b>



Soils data provided by USDA and NRCS

n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

\*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

# Soils Map



State: **Michigan**  
 County: **Monroe**  
 Location: **31-5S-6E**  
 Township: **Milan**  
 Acres: **159.58**  
 Date: **7/14/2025**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2025 AgriData, Inc.

© AgriData, Inc. 2023

www.AgriDataInc.com



Area Symbol: MI091, Soil Area Version: 20  
 Area Symbol: MI115, Soil Area Version: 22

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
ZfsacA	Ziegenfuss clay loam, 0 to 1 percent slopes	91.65	57.4%		IIw				60	60
23A	Metamora sandy loam, 0 to 3 percent slopes	26.04	16.3%		IIw	125	20	40	61	54
43A	Nappanee loam, 0 to 3 percent slopes	24.43	15.3%		IIIw	120	19	40	60	54
114A	Nappanee silt loam, 0 to 3 percent slopes	15.30	9.6%		IIIw	120	19	40	62	56
112A	Wauseon loam, 0 to 3 percent slopes	2.16	1.4%		IIIw	100		40	61	60
<b>Weighted Average</b>					<b>2.26</b>	<b>51.6</b>	<b>8</b>	<b>17</b>	<b>*n 60.4</b>	<b>*n 57.7</b>

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

# Soils Map



State: **Michigan**  
 County: **Washtenaw**  
 Location: **25-4S-6E**  
 Township: **York**  
 Acres: **331.69**  
 Date: **7/29/2025**



Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: MI161, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
WaA	Wasepi sandy loam, 0 to 4 percent slopes	135.70	40.9%		Ills		85		14		32		55	35
Ln	Lamson-Colwood complex	79.84	24.1%		V w								30	22
DoA	Dixboro-Kibbie fine sandy loams, 0 to 4 percent slopes	54.22	16.3%		Ilw		115		19		35		63	57
SpB	Spinks loamy sand, 0 to 6 percent slopes	28.07	8.5%		Ills	Ills	75	165	13	24	27	50	56	34
YpA	Ypsi sandy loam, 0 to 4 percent slopes	20.92	6.3%		lle		110		17		37		62	54
Ws	Wauseon fine sandy loam	7.90	2.4%		Illw		100				40		58	54




Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
OsB	Oshtemo loamy sand, 0 to 6 percent slopes	5.04	1.5%		lls	lle	85	170	14	26	28	55	68	47
<b>Weighted Average</b>					<b>3.25</b>	<b>*-</b>	<b>70.5</b>	<b>16.5</b>	<b>11.2</b>	<b>2.4</b>	<b>24.8</b>	<b>5.1</b>	<b>*n 51.1</b>	<b>*n 37.2</b>

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method


\*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

# Soils Map



©2025 AgriData, Inc.

Soils data provided by USDA and NRCS.



State: **Michigan**  
 County: **Washtenaw**  
 Location: **16-4S-7E**  
 Township: **Augusta**  
 Acres: **54.26**  
 Date: **7/14/2025**



Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com





Area Symbol: MI161, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
WaA	Wasepi sandy loam, 0 to 4 percent slopes	41.95	77.3%		Ills	85	14	32	55	35
Gf	Gilford sandy loam, till plain, 0 to 2 percent slopes	12.31	22.7%		Illw	146		33	34	21
<b>Weighted Average</b>					<b>3.00</b>	<b>98.8</b>	<b>10.8</b>	<b>32.2</b>	<b>*n 50.2</b>	<b>*n 31.8</b>

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

# Soils Map



State: **Michigan**  
 County: **Washtenaw**  
 Location: **20-4S-7E**  
 Township: **Augusta**  
 Acres: **333.11**  
 Date: **7/14/2025**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: MI161, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
Pc	Pella silt loam	116.20	34.9%		Ilw		140				48		66	71
Ln	Lamson-Colwood complex	60.90	18.3%		V w								30	22
DoA	Dixboro-Kibbie fine sandy loams, 0 to 4 percent slopes	58.07	17.4%		Ilw		115		19		35		63	57
SeB	Seward loamy fine sand, 2 to 6 percent slopes	29.34	8.8%		lle		90				30		58	38
YpA	Ypsi sandy loam, 0 to 4 percent slopes	24.11	7.2%		lle		110		17		37		62	54
OsB	Oshtemo loamy sand, 0 to 6 percent slopes	9.90	3.0%		lls	lle	85	170	14	26	28	55	68	47





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
KnA	Kibbie fine sandy loam, 0 to 4 percent slopes	8.01	2.4%		lle		125		20		38		72	68
Ed	Edwards muck	6.97	2.1%		V w								4	3
ThA	Thetford loamy sand, 0 to 4 percent slopes	5.50	1.7%		Illw		85	148	14	22	32		50	33
Ws	Wauseon fine sandy loam	5.40	1.6%		Illw		100				40		58	54
Gr	Granby fine sand	4.68	1.4%		V w								14	8
SpB	Spinks loamy sand, 0 to 6 percent slopes	4.03	1.2%		llls	llls	75	165	13	24	27	50	56	34
<b>Weighted Average</b>					<b>2.73</b>	<b>*-</b>	<b>94.2</b>	<b>9.5</b>	<b>5.8</b>	<b>1.4</b>	<b>31.4</b>	<b>2.2</b>	<b>*n 55.6</b>	<b>*n 51</b>

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

\*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

# Soils Map



State: **Michigan**  
 County: **Washtenaw**  
 Location: **26-2S-7E**  
 Township: **Superior**  
 Acres: **555.57**  
 Date: **2/18/2026**



Maps Provided By:



© AgriData, Inc. 2025

www.AgriDataInc.com



Area Symbol: MI161, Soil Area Version: 24

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
PwmaaA	Pewamo clay loam, dense substratum, 0 to 1 percent slopes	103.91	18.6%		Ilw		123.6		19.2		41		73	71
Pe	Pewamo clay loam, 0 to 2 percent slopes	77.45	13.9%		Ilw		154		19.4		43		74	68
KnA	Kibbie fine sandy loam, 0 to 4 percent slopes	60.96	11.0%		Ile		125		20		38		72	68
OsB	Oshtemo loamy sand, 0 to 6 percent slopes	52.67	9.5%		Ills	Ille	85	170	14	26	28	55	68	47
So	Sloan silt loam, 0 to 1 percent slopes, frequently flooded	43.63	7.9%		Illw		134				47		74	73

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Soybeans Bu	Soybeans Irrigated Bu	*n NCCPI Corn	*n NCCPI Soybeans
FoB	Fox sandy loam, till plain, 2 to 6 percent slopes	41.53	7.5%		Ile		98		18		36		66	58
MfA	Metamora sandy loam, 0 to 4 percent slopes	41.26	7.4%		Ile		120		19		36		70	54
NaB	Nappanee silty clay loam, 2 to 6 percent slopes	39.27	7.1%		IIle		110		17		36		58	53
MdA	Matherton sandy loam, 0 to 4 percent slopes	21.29	3.8%		Ile		100		17		32		59	46
Gf	Gilford sandy loam, till plain, 0 to 2 percent slopes	18.75	3.4%		IIIw		146				33		34	21
SfB	Seward sandy loam, loamy subsoil variant, 2 to 6 percent slopes	17.85	3.2%		Ile		90				30		61	45
WaA	Wasepi sandy loam, 0 to 4 percent slopes	17.04	3.1%		IIIs		85		14		32		55	35
FoA	Fox sandy loam, till plain, 0 to 2 percent slopes	13.79	2.5%		IIs		98		18		36		67	59
Pc	Pella silt loam	5.93	1.1%		IIw		140				48		66	71
BnC	Boyer loamy sand, 6 to 12 percent slopes	0.24	0.0%		IIle	IIle							51	35
<b>Weighted Average</b>					<b>2.31</b>	<b>*-</b>	<b>119.1</b>	<b>16.1</b>	<b>15.3</b>	<b>2.5</b>	<b>37.8</b>	<b>5.2</b>	<b>*n 67.8</b>	<b>*n 59.7</b>

Soils data provided by USDA and NRCS

\*c: Using Capabilities Class Dominant Condition Aggregation Method

\*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.