



Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Miami**
 Location: **29-29N-4E**
 Township: **Allen**
 Acres: **93.27**
 Date: **1/13/2023**



Maps Provided By:



© AgriData, Inc. 2021

www.AgriDataInc.com





Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
Re	Rensselaer loam, 0 to 1 percent slopes	25.06	26.9%		IIw	167	6	11	49	68	81
WsB	Wawasee sandy loam, 2 to 6 percent slopes	21.64	23.2%		Ile	126	5	8	44	63	59
MeB	Metaea loamy fine sand, 2 to 6 percent slopes	11.96	12.8%		Ile	110	4	7	39	55	43
ChB	Chelsea fine sand, 2 to 9 percent slopes	9.15	9.8%		IIIs	90	3	6	32	41	25
Cr	Crosier loam, 0 to 2 percent slopes	8.91	9.6%		IIw	154	5	10	50	69	56
Hx	Houghton muck, drained	4.46	4.8%		IIIw	159	5	11	42	64	91
OtA	Oshtemo sandy loam, 0 to 4 percent slopes	4.01	4.3%		IIIs	99	4	6	35	50	56
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	2.86	3.1%		Ile	125	4	8	44	63	39
Au	Aubbeaubbee sandy loam, 0 to 2 percent slopes	2.77	3.0%		IIw	135	5	9	44	61	68
WsC	Wawasee sandy loam, 6 to 12 percent slopes	2.45	2.6%		Ile	130	4	9	46	65	57
Weighted Average					2.37	134.9	4.8	8.8	43.7	61.2	*n 60.2

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **29-29N-4E**
 Township: **Union**
 Acres: **19.78**
 Date: **1/13/2023**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2023 AgriData, Inc.



Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
Re	Rensselaer loam, 0 to 1 percent slopes	10.51	53.1%		IIw	167	6	11	49	68	81
Hx	Houghton muck, drained	4.67	23.6%		IIIw	159	5	11	42	64	91
WsB	Wawasee sandy loam, 2 to 6 percent slopes	4.60	23.3%		Ile	126	5	8	44	63	59
Weighted Average					2.24	155.6	5.5	10.3	46.2	65.9	*n 78.2

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **30-29N-4E**
 Township: **Union**
 Acres: **165.92**
 Date: **1/15/2023**



Maps Provided By:



Soils data provided by USDA and NRCS.



Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
WsB	Wawasee sandy loam, 2 to 6 percent slopes	49.08	29.6%		Ile	126	5	8	44	63	59
Re	Rensselaer loam, 0 to 1 percent slopes	41.93	25.3%		IIw	167	6	11	49	68	81
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	36.16	21.8%		IIle	125	4	8	44	63	39
Cr	Crosier loam, 0 to 2 percent slopes	15.20	9.2%		IIw	154	5	10	50	69	56
Hx	Houghton muck, drained	9.85	5.9%		IIIw	159	5	11	42	64	91
MeB	Metae loamy fine sand, 2 to 6 percent slopes	7.15	4.3%		IIle	110	4	7	39	55	43
WsD3	Wawasee loam, 12 to 18 percent slopes, severely eroded	4.98	3.0%		VIle	110	4	7	39	55	35
Br	Brookston loam	0.86	0.5%		IIw	172	6	12	49	70	74
WsC	Wawasee sandy loam, 6 to 12 percent slopes	0.71	0.4%		IIle	130	4	9	46	65	57
Weighted Average					2.44	139.8	5	9.1	45.4	64.3	*n 60.5

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **15-29N-4E**
 Township: **Perry**
 Acres: **114.36**
 Date: **1/15/2023**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2023 AgriData, Inc.

Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Com silage Tons	Grass legume hay Tons	Grass legume pasture AUM	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
Hx	Houghton muck, drained	33.47	29.3%		Illw	159		5		11	42	64	91
Br	Brookston loam	15.11	13.2%		Ilw	172		6		12	49	70	74
Mtc3	Morley silty clay loam, 6 to 12 percent slopes, severely eroded	10.07	8.8%		Ive	105	15	4	7		37	47	34
Pw	Pewamo silty clay loam, 0 to 1 percent slopes	9.07	7.9%		Ilw	157		5	11		47	64	66
WsB	Wawasee sandy loam, 2 to 6 percent slopes	8.90	7.8%		Ile	126		5		8	44	63	59
Cr	Crosier loam, 0 to 2 percent slopes	7.84	6.9%		Ilw	154		5		10	50	69	56
Pm	Palms muck, drained	5.77	5.0%		Illw	158		5		11	43	63	91
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	5.68	5.0%		Ille	125		4		8	44	63	39
MsB	Glynwood silt loam, 2 to 6 percent slopes	5.45	4.8%		Ile	133		4	8		46	60	53

Soils data provided by USDA and NRCS.





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Grass legume hay Tons	Grass legume pasture AUM	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
Re	Rensselaer loam, 0 to 1 percent slopes	5.09	4.5%		llw	167		6		11	49	68	81
MtD3	Morley silty clay loam, 12 to 25 percent slopes, severely eroded	3.10	2.7%		Vle	75		3		5	26	34	27
WsD3	Wawasee loam, 12 to 18 percent slopes, severely eroded	3.04	2.7%		Vle	110		4		7	39	55	35
OtA	Oshtemo sandy loam, 0 to 4 percent slopes	1.77	1.5%		lls	99		4		6	35	50	56
Weighted Average					2.80	145.8	1.3	4.9	1.9	8	43.6	62.2	*n 68.3

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **29-29N-4E**
 Township: **Allen**
 Acres: **66.28**
 Date: **1/13/2023**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2023 AgriData, Inc.

© AgriData, Inc. 2021

www.AgriDataInc.com



Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
WsB	Wawasee sandy loam, 2 to 6 percent slopes	22.40	33.8%		Ile	126	5	8	44	63	59
Br	Brookston loam	13.78	20.8%		IIw	172	6	12	49	70	74
MeB	Metea loamy fine sand, 2 to 6 percent slopes	9.23	13.9%		IIle	110	4	7	39	55	43
Re	Rensselaer loam, 0 to 1 percent slopes	6.22	9.4%		IIw	167	6	11	49	68	81
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	5.06	7.6%		IIle	125	4	8	44	63	39
WsC	Wawasee sandy loam, 6 to 12 percent slopes	4.36	6.6%		IIle	130	4	9	46	65	57
Gr	Gilford sandy loam, till plain, 0 to 2 percent slopes	4.20	6.3%		IIIw	146	5	10	33	59	48
Hx	Houghton muck, drained	1.03	1.6%		IIIw	159	5	11	42	64	91
Weighted Average					2.36	139.2	5	9.2	44.2	63.7	*n 60.1

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **1-29N-4E**
 Township: **Perry**
 Acres: **71.1**
 Date: **8/21/2024**



Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com



Soils data provided by USDA and NRCS.



Area Symbol: IN103, Soil Area Version: 27

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
WsB	Wawasee sandy loam, 2 to 6 percent slopes	27.12	38.2%		Ile	126	44	67	61
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	10.81	15.2%		IIle	125	44	51	42
Br	Brookston loam	6.32	8.9%		IIlw	172	49	77	74
WsD3	Wawasee loam, 12 to 18 percent slopes, severely eroded	5.89	8.3%		Vle	110	39	48	38
Pt	Patton silty clay loam	5.71	8.0%		IIlw	175	49	80	81
MeB	Metae loamy fine sand, 2 to 6 percent slopes	4.62	6.5%		IIle	110	39	62	43
So	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded	4.51	6.3%		IIIlw	134	47	79	77
ChB	Chelsea fine sand, 2 to 9 percent slopes	2.30	3.2%		IIIs	90	32	37	26
WsC	Wawasee sandy loam, 6 to 12 percent slopes	2.11	3.0%		IIle	130	46	65	59
FzC3	Fox clay loam, 8 to 15 percent slopes, severely eroded	1.71	2.4%		Ive	80	28	52	41
Weighted Average					2.72	129.9	43.6	*n 64	*n 57.1

*c: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Indiana**
 County: **Miami**
 Location: **20-29N-4E**
 Township: **Allen**
 Acres: **146.42**
 Date: **1/15/2023**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2023 AgriData, Inc.

© AgriData, Inc. 2021

www.AgriDataInc.com

Area Symbol: IN103, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Grass legume hay Tons	Pasture AUM	Soybeans Bu	Winter wheat Bu	*n NCCPI Soybeans
Br	Brookston loam	59.15	40.4%		IIw	172	6	12	49	70	74
WsB	Wawasee sandy loam, 2 to 6 percent slopes	33.38	22.8%		Ile	126	5	8	44	63	59
Hx	Houghton muck, drained	22.41	15.3%		IIIw	159	5	11	42	64	91
Cr	Crosier loam, 0 to 2 percent slopes	15.76	10.8%		IIw	154	5	10	50	69	56
WsC3	Wawasee loam, 6 to 12 percent slopes, severely eroded	5.37	3.7%		Ile	125	4	8	44	63	39
MeB	Metea loamy fine sand, 2 to 6 percent slopes	4.39	3.0%		Ile	110	4	7	39	55	43
Pm	Palms muck, drained	2.25	1.5%		IIIw	158	5	11	43	63	91
WsC	Wawasee sandy loam, 6 to 12 percent slopes	1.86	1.3%		Ile	130	4	9	46	65	57
Au	Aubbeenaubbee sandy loam, 0 to 2 percent slopes	1.85	1.3%		IIw	135	5	9	44	61	68
Weighted Average					2.25	152.8	5.3	10.3	46.2	66.4	*n 69

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method