

Soils Map





State: Michigan
County: Lenawee
Location: 19-6S-1E
Township: Rollin
Acres: 80.68
Date: 8/19/2016







Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Soil Drainage	Non-Irr Class *c	Alfalfa hay	Corn	Corn silage	Oats	Soybeans	Winter wheat
MhC2	Morley loam, 7 to 15 percent slopes, moderately eroded	15.74	19.5%	Logona	> 6.5ft.	Well drained	IVe		95		58	33	43
PbA	Pewamo clay loam, 0 to 2 percent slopes	11.38	14.1%		0.5ft.	Very poorly drained	llw	5.7	154	19.4	57	43	62
MdB	Miami loam, 3 to 7 percent slopes	10.80	13.4%		> 6.5ft.	Well drained	lle		110			38	50
MdC2	Miami loam, 7 to 15 percent slopes, moderately eroded	8.78	10.9%		> 6.5ft.	Well drained	Ille		95			33	43
KgA	Kokomo, Barry, and Wallkill loams, overwashed, 0 to 3 percent slopes	7.16	8.9%		Oft.	Very poorly drained	Vw		135			47	54
MhB2	Glynwood loam, 2 to 6 percent slopes, eroded	5.70	7.1%		1.5ft.	Moderately well drained	lle	4.7	128	18	78	41	55
MdB2	Miami loam, 3 to 7 percent slopes, moderately eroded	5.59	6.9%		> 6.5ft.	Well drained	lle		105			37	47
ВрА	Brookston loam, overwashed, 0 to 3 percent slopes	4.78	5.9%		Oft.	Very poorly drained	llw		145			51	65
BfB	Blount loam, 2 to 6 percent slopes	4.00	5.0%		0.7ft.	Somewhat poorly drained	lle		140			46	63
CdA	Carlisle muck, disintegration moraine, 0 to 2 percent slopes	2.57	3.2%		1ft.	Very poorly drained	Vw						
KfA	Kokomo and Barry loams, 0 to 3 percent slopes	1.78	2.2%		Oft.	Very poorly drained	llw		135			47	54
CgB	Conover loam, 3 to 7 percent slopes	1.73	2.1%		1.5ft.	Somewhat poorly drained	lle	5	120	18	100	36	60
MeD2	Miami loam and Boyer sandy loam, 12 to 25 percent slopes, moderately eroded	0.52	0.6%		> 6.5ft.	Well drained	Vle						
PcA	Pewamo mucky clay loam, 0 to 3 percent slopes	0.15	0.2%		Oft.	Poorly drained	llw	6	130	20	100	42	60



Area Symbol: MI091, Soil Area Version: 11

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.