



Soils Map



Soils data provided by USDA and NRCS.

©2018 AgriData, Inc.



State: **Indiana**
 County: **Henry**
 Location: **1-18N-11E**
 Township: **Stoney Creek**
 Acres: **179.93**
 Date: **4/30/2018**



Maps Provided By:



Area Symbol: IN065, Soil Area Version: 19

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Corn	Soybeans	Winter wheat
CsA	Crosby silt loam, stony subsoil, 0 to 3 percent slopes	78.86	43.8%		1.2ft.	2.1ft. (Densic material)	Somewhat poorly drained	IIw	136	45	61
Ts	Treaty silt loam, stony subsoil	50.42	28.0%		0.5ft.	> 6.5ft.	Poorly drained	IIw	185	53	74
MoB2	Miamian silt loam, stony subsoil, 2 to 6 percent slopes, eroded	14.15	7.9%		2.7ft.	2.8ft. (Densic material)	Moderately well drained	Ile	118	41	53
LxC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	9.69	5.4%		1ft.	1ft. (Densic material)	Moderately well drained	IVe	113	39	50
MIB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	8.58	4.8%		> 6.5ft.	4.9ft. (Strongly contrasting textural stratification)	Well drained	Ile	126	45	63
LsB2	Losantville silt loam, stony subsoil, 2 to 6 percent slopes, eroded	6.68	3.7%		1.8ft.	1.7ft. (Densic material)	Moderately well drained	Ile	121	43	54
CfB2	Celina silt loam, stony subsoil, 2 to 6 percent slopes, eroded	4.74	2.6%		2ft.	2.8ft. (Densic material)	Moderately well drained	Ile	129	45	57
LeB2	Losantville silt loam, 2 to 6 percent slopes, eroded	4.21	2.3%		1.8ft.	1.3ft. (Densic material)	Moderately well drained	Ile	121	43	54
Cy	Cyclone silty clay loam, 0 to 2 percent slopes	2.60	1.4%		0.2ft.	> 6.5ft.	Poorly drained	IIw	185	65	75
Weighted Average									146.2	46.8	63.2

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.