



Soils Map



State: **Wisconsin**
 County: **Adams**
 Location: **27-18N-5E**
 Township: **Strongs Prairie**
 Acres: **813.58**
 Date: **2/14/2026**



Soils data provided by USDA and NRCS.

©2026 AgriData, Inc.

© AgriData, Inc. 2025

www.AgrDataInc.com

Area Symbol: WI001, Soil Area Version: 25



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Soil Drainage	Non-Irr Class *c	Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
886A	Friendship loamy sand, 0 to 3 percent slopes	377.85	46.5%		Moderately well drained	IVs				35	35	22
534B	Delton sand, 2 to 6 percent slopes	231.49	28.5%		Well drained	IIle		88	30	56	56	45
558A	Wyeville loamy sand, 0 to 3 percent slopes	99.43	12.2%		Somewhat poorly drained	IIIw		85	28	59	59	47
534A	Delton sand, 0 to 2 percent slopes	57.01	7.0%		Well drained	IIIs		90	31	57	57	45
811B	Plainfield sand, 2 to 6 percent slopes	31.96	3.9%		Excessively drained	IVs	IIIs			29	26	19
811C	Plainfield sand, 6 to 12 percent slopes	6.81	0.8%		Excessively drained	VIIs				30	30	20
7689B	Coloma sand, 2 to 6 percent slopes	4.86	0.6%		Excessively drained	IVs	IIle	60	20	27	26	24
888A	Meehan loamy sand, 0 to 3 percent slopes	4.17	0.5%		Somewhat poorly drained	IVw				34	32	21
Weighted Average						3.54	*	42.1	14.2	*n 45.1	*n 45	*n 33.1

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Soils Map



State: **Wisconsin**
 County: **Adams**
 Location: **3-18N-5E**
 Township: **Strong's Prairie**
 Acres: **324.5**
 Date: **2/14/2026**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: WI001, Soil Area Version: 25



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Soil Drainage	Non-Irr Class *c	Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
886A	Friendship loamy sand, 0 to 3 percent slopes	171.04	52.8%		Moderately well drained	IVs				35	35	22
811C	Plainfield sand, 6 to 12 percent slopes	115.30	35.5%		Excessively drained	VI s				30	30	20
534A	Delton sand, 0 to 2 percent slopes	14.34	4.4%		Well drained	III s		90	31	57	57	45
7258A	Fisk loamy sand	9.77	3.0%		Somewhat poorly drained	III w		85	28	53	53	32
811B	Plainfield sand, 2 to 6 percent slopes	8.74	2.7%		Excessively drained	IV s	II s			29	26	19
889A	Newson mucky loamy sand, 0 to 1 percent slopes	5.31	1.6%		Poorly drained	VI w				27	22	8
Weighted Average						4.67	*-	6.5	2.2	*n 34.4	*n 34.3	*n 22.3

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.

Soils Map



State: **Wisconsin**
 County: **Adams**
 Location: **35-18N-5E**
 Township: **Strong's Prairie**
 Acres: **159.33**
 Date: **2/14/2026**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: WI001, Soil Area Version: 25

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Soil Drainage	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
886A	Friendship loamy sand, 0 to 3 percent slopes	154.85	97.2%		Moderately well drained	IVs	35	35	22
811C	Plainfield sand, 6 to 12 percent slopes	4.48	2.8%		Excessively drained	VI s	30	30	20
Weighted Average						4.06	*n 34.9	*n 34.9	*n 21.9

Soils data provided by USDA and NRCS. The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method