

Soils Map





State: Indiana County: **Blackford** Location: 29-23N-10E Township: Licking Acres: 122.81

2/23/2017 Date:







Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Corn	Soybeans	Winter wheat
			lieiu	Legend	Table			Class C			Wileat
GlqB3	Glynwood clay loam, ground moraine, 2 to 6 percent slopes, severely eroded	58.44	47.6%		1.5ft.	2.1ft. (Densic material)	Moderately well drained	IIIe	119	41	53
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	22.54	18.4%		1.5ft.	2.1ft. (Densic material)	Moderately well drained	IVe	112	29	49
EIA	Eldean silt loam, 0 to 2 percent slopes	12.98	10.6%		> 6.5ft.	2.6ft. (Strongly contrasting textural stratification)	Well drained	lls	107	37	53
Pm	Pewamo silty clay, 0 to 2 percent slopes	8.81	7.2%		0.5ft.	> 6.5ft.	Very poorly drained	llw	153	43	62
BIA	Blount-Glynwood, thin solum complex, 0 to 3 percent slopes	6.68	5.4%		1.5ft.	2.8ft. (Densic material)	Somewhat poorly drained	llw	131	44	59
Ee	Eel clay loam, frequently flooded	5.07	4.1%		2ft.	> 6.5ft.	Moderately well drained	llw	114	40	
EnB3	Eldean clay loam, 2 to 6 percent slopes, severely eroded	4.75	3.9%		> 6.5ft.	2.6ft. (Strongly contrasting textural stratification)	Well drained	lle	110	39	55
MoD3	Morley clay loam, 12 to 20 percent slopes, severely eroded	3.54	2.9%		2.7ft.	1.8ft. (Densic material)	Moderately well drained	Vle	90	32	41
Weighted Average									118.1	38.3	50.8

Area Symbol: IN009, Soil Area Version: 18

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.