


Soils Map



State: **Indiana**
 County: **Cass**
 Location: **13-25N-2E**
 Township: **Jackson**
 Acres: **48.98**
 Date: **8/29/2023**



Maps Provided By:




Area Symbol: IN017, Soil Area Version: 27

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
RsB	Riddles silt loam, 2 to 6 percent slopes	24.90	50.8%		Ile	140	49	83	65
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	10.93	22.3%		Ile	142	49	62	46
MoC3	Miami clay loam, 6 to 14 percent slopes, severely eroded	7.13	14.6%		IVe	125	44	58	36
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	5.42	11.1%		IIw	168	62	90	80
HeE	Hennepin loam, 25 to 50 percent slopes	0.60	1.2%		Vlle	14	5	15	9
Weighted Average					2.35	139.8	49.2	*n 74.6	*n 57.5


*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soil Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Cass**
 Location: **30-26N-3E**
 Township: **Tipton**
 Acres: **24.55**
 Date: **8/29/2023**



Maps Provided By:




Area Symbol: IN017, Soil Area Version: 27									
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
Cy	Cyclone silt loam, 0 to 2 percent slopes	18.36	74.8%		Ilw	185	65	82	80
FcA	Fincastle silt loam, Tipton Till Plain, 0 to 2 percent slopes	6.19	25.2%		Ilw	168	62	90	80
Weighted Average					2.00	180.7	64.2	*n 84	*n 80


*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Cass**
 Location: **21-27N-2E**
 Township: **Clay**
 Acres: **58.12**
 Date: **8/8/2023**



Maps Provided By:




Area Symbol: IN017, Soil Area Version: 27

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
RtB	Rush silt loam, 2 to 6 percent slopes	33.01	56.8%		Ile	155	54	88	71
RtA	Rush silt loam, 0 to 2 percent slopes	17.20	29.6%		I	155	54	89	73
BmC	Bloomfield loamy fine sand, 4 to 12 percent slopes	4.42	7.6%		IIle	85	30	36	33
OsB	Ormas loamy fine sand, 2 to 6 percent slopes	1.81	3.1%		IIle	110	39	64	38
KsC3	Kosciusko sandy clay loam, 6 to 12 percent slopes, severely eroded	1.68	2.9%		IIle	95	33	53	29
Weighted Average					1.84	146.5	51.1	*n 82.6	*n 66.5


*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Cass**
 Location: **20-25N-2E**
 Township: **Deer Creek**
 Acres: **47.73**
 Date: **2/12/2025**



Maps Provided By:



Area Symbol: IN017, Soil Area Version: 29

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
RuB	Russell silt loam, 2 to 6 percent slopes	26.45	55.5%		Ile	156	54	87	76
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	17.49	36.6%		Ile	142	49	63	46
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	2.50	5.2%		IIle	133	47	64	48
RtB	Rush silt loam, 2 to 6 percent slopes	1.29	2.7%		Ile	155	54	88	71
Weighted Average					2.05	149.6	51.8	*n 77	*n 63.4

Soils data provided by USDA and NRCS.

n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method