



Soils Map



Soils data provided by USDA and NRCS.



State:

County: **Bay**

Location: **6-17N-5E**

Township: **Pinconning**

Acres: **36.12**

Date: **4/8/2025**



Maps Provided By:




Area Symbol: MI017, Soil Area Version: 22										
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
23	Tappan loam, 0 to 1 percent slopes	28.46	78.8%		IIw				55	52
13	Belleville loamy sand	7.66	21.2%		IIIw	116.6	19.2	35.7	66	41
Weighted Average					2.21	24.7	4.1	7.6	*n 57.3	*n 49.7

Soils data provided by USDA and NRCS


n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



Soils data provided by USDA and NRCS.



State: **Michigan**
 County: **Arenac**
 Location: **30-18N-5E**
 Township: **Standish**
 Acres: **35.87**
 Date: **3/9/2026**



Maps Provided By:




Area Symbol: MI011, Soil Area Version: 22										
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
Wo	Wisner loam	30.74	85.7%		Ilw	140	18	45	47	48
Wn	Wisner clay loam	3.38	9.4%		Ilw	140	18	45	47	47
WxA	Selfridge loamy sand, 0 to 3 percent slopes	1.75	4.9%		Illw				56	45
Weighted Average					2.05	133.2	17.1	42.8	*n 47.4	*n 47.8

Soils data provided by USDA and NRCS.


n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



Soils data provided by USDA and NRCS.



State: **Michigan**
 County: **Arenac**
 Location: **30-18N-5E**
 Township: **Standish**
 Acres: **48.77**
 Date: **9/25/2026**



Maps Provided By:



Area Symbol: MI011, Soil Area Version: 22

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn Bu	Corn silage Tons	Soybeans Bu	*n NCCPI Corn	*n NCCPI Soybeans
Wo	Wisner loam	46.14	94.6%		Ilw	140	18	45	47	48
CohaaA	Cohoctah, Ceresco, and Kerston soils, 0 to 3 percent slopes, frequently flooded	2.10	4.3%		V w				45	37
TwA	Twining-Belding sandy loams, 0 to 2 percent slopes	0.31	0.6%		Ilw	130	18	45	55	49
Sn	Sims loam	0.22	0.5%		Ilw	130	18	45	50	46
Weighted Average					2.13	133.9	17.2	43.1	*n 47	*n 47.5

Soils data provided by USDA and NRCS

n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method