



Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Delaware**
 Location: **29-20N-11E**
 Township: **Liberty**
 Acres: **61.11**
 Date: **1/13/2019**



Area Symbol: IN035, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Winter wheat	Corn	Soybeans	*n NCCPI Soybeans
MecB	Martinsville loam, 2 to 6 percent slopes	11.00	18.0%		> 6.5ft.	> 6.5ft.	Well drained	Ile	72	145	51	71
MecA	Martinsville loam, 0 to 2 percent slopes	10.17	16.6%		> 6.5ft.	> 6.5ft.	Well drained	Is	72	146	51	73
ThrA	Treaty silty clay loam, 0 to 1 percent slopes	8.00	13.1%		0ft.	> 6.5ft.	Poorly drained	Ilw	69	173	51	76
BdlC2	Belmore loam, 6 to 12 percent slopes, eroded	7.13	11.7%		> 6.5ft.	> 6.5ft.	Well drained	Ille	64	130	46	47
CudA	Crosby silt loam, 0 to 2 percent slopes	6.20	10.1%		0.5ft.	3ft. (Densic material)	Somewhat poorly drained	Ilw	64	143	47	51
MvxA	Mountpleasant silt loam, 0 to 2 percent slopes	5.39	8.8%		> 6.5ft.	> 6.5ft. (Strongly contrasting textural stratification)	Well drained	Is	64	130	46	66
DdxA	Digby-Haney silt loams, 0 to 1 percent slopes	5.28	8.6%		1.5ft.	> 6.5ft.	Somewhat poorly drained	Ilw	68	151	51	67
MvxB2	Mountpleasant silt loam, 2 to 6 percent slopes, eroded	4.73	7.7%		> 6.5ft.	> 6.5ft. (Strongly contrasting textural stratification)	Well drained	Ile	63	126	44	55
RrwB	Rawson loam, 1 to 5 percent slopes	3.01	4.9%		2.5ft.	3.5ft. (Densic material)	Moderately well drained	Ile	64	142	50	52
HtbAU	Houghton muck, undrained, 0 to 1 percent slopes	0.20	0.3%		0ft.	> 6.5ft.	Very poorly drained	Vw	2	8	2	29
Weighted Average									67.5	144	48.8	*n 64.1

*n: The aggregation method is "Weighted Average using major components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.