



Soils Map



Soils data provided by USDA and NRCS.

©2017 AgriData, Inc.



State: **Wisconsin**
 County: **Door**
 Location: **7-28N-27E**
 Township: **Sevastopol**
 Acres: **157**
 Date: **3/1/2017**



Area Symbol: WI029, Soil Area Version: 12

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Corn	Soybeans	Winter wheat
OmB	Omena sandy loam, 2 to 6 percent slopes	71.66	45.6%		5.7ft.	> 6.5ft.	Well drained	Ile	75		40
LoA	Longrie Loam, 0 to 2 percent slopes	18.96	12.1%		> 6.5ft.	2.5ft. (Lithic bedrock)	Well drained	Ils	75		40
SvA	Summerville loam, 0 to 2 percent slopes	16.28	10.4%		> 6.5ft.	1.2ft. (Lithic bedrock)	Well drained	IIIs	60		38
SvB	Summerville loam, 2 to 6 percent slopes	9.75	6.2%		> 6.5ft.	1.2ft. (Lithic bedrock)	Well drained	IIIs	60		38
LoB	Longrie Loam, 2 to 6 percent slopes	9.04	5.8%		> 6.5ft.	2.5ft. (Lithic bedrock)	Well drained	Ile	75	25	40
Bn	Bonduel loam, 0 to 3 percent slopes	7.67	4.9%		0.5ft.	3.1ft. (Lithic bedrock)	Somewhat poorly drained	IIw	80	25	40
7208	Onaway-Ossineke fine sandy loams, moraine, 1 to 6 percent slopes	7.12	4.5%		1.5ft.	3.2ft. (Densic material)	Well drained	Ile	100		45
OmC	Omena sandy loam, 6 to 12 percent slopes	7.08	4.5%		5.7ft.	> 6.5ft.	Well drained	IIIe	70		38
SoA	Solona loam, 0 to 3 percent slopes	5.93	3.8%		0ft.	> 6.5ft.	Somewhat poorly drained	IIw	100		40
NaB	Namur loam, 0 to 6 percent slopes	3.18	2.0%		> 6.5ft.	0.6ft. (Lithic bedrock)	Well drained	VIIs			25
Ax	Angelica loam, 0 to 2 percent slopes	0.33	0.2%		0ft.	> 6.5ft.	Poorly drained	IIw	100		
Weighted Average									73.1	2.7	39.4

Area Symbol: WI029, Soil Area Version: 12

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.