



Soils Map



Soils data provided by USDA and NRCS.



State: **Indiana**
 County: **Posey**
 Location: **3-7S-14W**
 Township: **Black**
 Acres: **119.49**
 Date: **6/14/2017**



Area Symbol: IN129, Soil Area Version: 16

| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Water Table | Soil Drainage | Non-Irr Class *c | Soybeans | Winter wheat | Corn | Alfalfa hay |
|-------------------------|--|-------|------------------|----------------------|-------------|-------------------------|------------------|-----------|--------------|------------|-------------|
| EkA | Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded | 59.09 | 49.5% | | > 6.5ft. | Well drained | I | 44 | 63 | 125 | |
| Pg | Peoga silt loam, rarely flooded | 15.99 | 13.4% | | 0.5ft. | Poorly drained | IIIw | 44 | 56 | 140 | |
| WhB | Wheeling loam, 2 to 6 percent slopes, rarely flooded | 13.94 | 11.7% | | > 6.5ft. | Well drained | Ile | 44 | 63 | 125 | 5 |
| Ph | Petrolia silty clay loam, frequently flooded | 13.17 | 11.0% | | 0ft. | Poorly drained | IIIw | 40 | | 140 | |
| Wm | Wheeling Variant silt loam, rarely flooded | 7.14 | 6.0% | | 1.5ft. | Moderately well drained | Iw | 44 | 56 | 125 | |
| WhA | Wheeling loam, 0 to 2 percent slopes, rarely flooded | 4.33 | 3.6% | | > 6.5ft. | Well drained | Iw | 42 | 60 | 121 | 8 |
| PnB | Plainfield loamy fine sand, warm, 0 to 6 percent slopes | 3.99 | 3.3% | | > 6.5ft. | Excessively drained | IVs | 28 | 36 | 80 | |
| EkB2 | Elkinsville silt loam, 2 to 6 percent slopes, eroded, rarely flooded | 1.84 | 1.5% | | > 6.5ft. | Well drained | Ile | 44 | 63 | 125 | |
| Weighted Average | | | | | | | | 43 | 53.7 | 127 | 0.9 |

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.