

Soils Map





State: Ohio
County: Hardin

Location: 40° 38' 42.54, -83° 40' 52.92

Township: **Lynn**Acres: **219.28**Date: **1/25/2018**








Area Sy	mbol: OH065, Soil Area	a Versi	ion: 15									
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Corn	Soybeans	Winter wheat	*eFOTG PI
Blg1A1	Blount silt loam, ground moraine, 0 to 2 percent slopes	94.19	43.0%		0.7ft.	3.2ft. (Densic material)	Somewhat poorly drained	llw	141	45	63	78
PkA	Pewamo silty clay loam, 0 to 1 percent slopes	72.10	32.9%		0.5ft.	> 6.5ft.	Very poorly drained	llw	157	47	64	84
Blg1B1	Blount silt loam, ground moraine, 2 to 4 percent slopes	50.73	23.1%		0.7ft.	3.1ft. (Densic material)	Somewhat poorly drained	lle	137	44	61	75
Gwg1B1	Glynwood silt loam, ground moraine, 2 to 6 percent slopes	2.26	1.0%		1.5ft.	2.8ft. (Densic material)	Moderately well drained	lle	132	46	60	70
Weighted Average									145.2	45.4	62.8	79.2


^{*}eftog PI: Obtained from the NRCS eFOTG (http://efotg.sc.egov.usda.gov)

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

Soils Map





State: Ohio County: Hardin Location: 20-3S-12E Township: Jackson Acres: 145.53 10/16/2017 Date:







Soils data provided by USDA and NRCS.

Aron	Cumbal: OHOGE Cail Are	a Mar	oion: 14										
Code	Symbol: OH065, Soil Are Soil Description		Percent of field	Non-Irr Class Legend	Water Table	Soil Drainage	Non-Irr Class *c	Alfalfa hay	Corn	Oats	Soybeans	Winter wheat	*eFOTG PI
Mnl3A	Minster silty clay loam, till substratum, 0 to 1 percent slopes	99.08	68.1%		0.5ft.	Very poorly drained			159		47	62	75
DeA	Del Rey silt loam, 0 to 3 percent slopes	18.93	13.0%		2ft.	Somewhat poorly drained	I .		115	69	38	50	76
Le	Latty silty clay	13.47	9.3%		0.5ft.	Very poorly drained			110	80	38	46	78
ShB	Shinrock silt loam, 2 to 6 percent slopes	8.20	5.6%		2.7ft.	Moderately well drained	I .		105	85	36	46	77
FuA	Fulton silt loam, 0 to 2 percent slopes	5.64	3.9%		1.7ft.	Somewhat poorly drained	I .		105	75	36	46	67
PkA	Pewamo silty clay loam, 0 to 1 percent slopes	0.21	0.1%		0.5ft.	Very poorly drained			157		47	64	84
Weighted Average								*_	143.6	24.1	44	57.4	75.2

^{*}eftog PI: Obtained from the NRCS eFOTG (http://efotg.sc.egov.usda.gov)

Soils data provided by USDA and NRCS.

^{*}eftog PI index for OH was updated on 3/8/2017

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method