





25	Histosols and Aquents, ponded	0.50	0.5%		0ft.	Very poorly drained	Vlw													
31D	Oshtemo sandy loam, 12 to 18 percent slopes	0.17	0.2%		> 6.5ft.	Well drained	IVe		3	80		13		70		21		35		
Weighted Average									2.6	55.4		6.9	10.6		1.1	51	18.6		2.2	26.8

Area Symbol: MI015, Soil Area Version: 9

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

Soils Map



State: **Michigan**
 County: **Eaton**
 Location: **8-1N-6W**
 Township: **Bellevue**
 Acres: **251.05**
 Date: **4/20/2016**

©2016 AgriData, Inc.

Maps Provided By:



© AgriData, Inc. 2016

www.AgrIDataInc.com



Soils data provided by USDA and NRCS.

Archived Soils Ending 1/21/2012

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Soil Drainage	Non-Irr Class *c	Alfalfa hay	Alfalfa hay Irrigated	Corn	Corn Irrigated	Corn silage	Corn silage Irrigated	Oats	Soybeans	Winter wheat
CbB	Capac-Marlette loams, 1 to 6 percent slopes	99.34	39.6%		1.5ft.	Somewhat poorly drained	Ile	5.5	6.8	110	155	17	26	95	36	62
Co	Colwood loam	69.40	27.6%		0ft.	Poorly drained	Ilw	5.5		140		22		115	45	65
KbA	Kibbie fine sandy loam, 0 to 3 percent slopes	55.32	22.0%		1.5ft.	Somewhat poorly drained	Ilw	5		130		20		105	40	65
OwB	Owosso-Marlette sandy loams, 1 to 6 percent slopes	17.14	6.8%		> 6.5ft.	Well drained	Ile	5		115		19		95	35	55
MaB	Marlette loam, 2 to 6 percent slopes	3.55	1.4%		> 6.5ft.	Well drained	Ile	4.8		120	150	19	27	95		60
Pr	Parkhill loam	3.54	1.4%		0ft.	Poorly drained	Ilw	4.2		140		22		115	45	65
MeA	Metamora-Capac sandy loams, 0 to 4 percent slopes	2.76	1.1%		1.5ft.	Somewhat poorly drained	Ile	4.8		120		19		100	36	60
Weighted Average								5.3	2.7	123.7	63.5	19.3	10.7	103.1	38.9	63

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.