



Soils Map



Soils data provided by USDA and NRCS.



State: **Georgia**
 County: **Dougherty**
 Location: **31° 26' 52.24, -84° 6' 19.79**
 Township: **East Dougherty**
 Acres: **1278.72**
 Date: **7/13/2026**



Maps Provided By:



Area Symbol: GA095, Soil Area Version: 21													
Area Symbol: GA603, Soil Area Version: 24													
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Soybeans Bu	Soybeans Irrigated Bu	Wheat Bu	*n NCCPI Corn	*n NCCPI Soybeans
Iza	Izagora-Dunbar loamy fine sands	353.43	27.7%		IIw							32	36
TuB2	Tifton sandy loam, 2 to 5 percent slopes, moderately eroded	194.66	15.2%		Ile							28	26
FeB	Faceville sandy loam, 2 to 5 percent slopes	117.69	9.2%		Ile		114.3		45		56	45	41
TfB	Tifton loamy sand, 2 to 5 percent slopes	98.07	7.7%		Ile							44	33
TfA	Tifton loamy sand, 0 to 2 percent slopes	70.84	5.5%		I	IIIs						45	34
TsC2	Tifton sandy loam, 5 to 8 percent slopes, eroded	63.55	5.0%		Ile							31	25
OeA	Orangeburg loamy sand, 0 to 2 percent slopes	59.46	4.6%		I	I	117.6	190	45	55	56	40	34
GoA	Goldsboro loamy sand, 0 to 2 percent slopes	44.40	3.5%		IIw		125		42		60	50	35

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Soybeans Bu	Soybeans Irrigated Bu	Wheat Bu	*n NCCPI Corn	*n NCCPI Soybeans
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	42.02	3.3%		Ile	Ile	113.3		41.7		52.5	40	33
TuA	Tifton sandy loam, 0 to 2 percent slopes	35.40	2.8%			I						30	26
FsC2	Faceville sandy clay loam, 5 to 8 percent slopes, eroded	33.24	2.6%		IVe							32	32
W	Water	31.79	2.5%										
CoC2	Carnegie sandy loam, 5 to 8 percent slopes, moderately eroded	16.76	1.3%		IVe	IIle						32	32
OeB2	Orangeburg loamy sand, 2 to 5 percent slopes, moderately eroded	13.61	1.1%		Ile							38	34
NhB	Norfolk loamy sand, 2 to 5 percent slopes	12.86	1.0%		Ile	Ile	99.8		35.6		50.3	42	35
CaC2	Carnegie sandy loam, 5 to 8 percent slopes, moderately eroded	11.35	0.9%		IVe	IIle						32	32
Grd	Grady soils	10.71	0.8%		V w							4	7
TuC2	Tifton sandy loam, 5 to 8 percent slopes, eroded	10.55	0.8%		IIle							31	25
NhA	Norfolk loamy sand, 0 to 2 percent slopes	10.48	0.8%		I	I	110	190	39.3	55	59.2	42	35
TuB	Tifton sandy loam, 2 to 5 percent slopes	9.25	0.7%		Ile							30	25
FeA	Faceville sandy loam, 0 to 2 percent slopes	9.09	0.7%		I							45	41
Avp	Alluvial land, wet	6.55	0.5%		V w								
OeB	Orangeburg loamy sand, 2 to 5 percent slopes	6.10	0.5%		Ile	Ile	113.3		41.7		52.5	40	33
DpA	Duplin fine sandy loam, 0 to 2 percent slopes	5.23	0.4%		IIw							47	50
RgB2	Red Bay loamy sand, 2 to 5 percent slopes, eroded	5.08	0.4%		IIle							34	31
FrA	Flint fine sandy loam, 0 to 2 percent slopes	2.79	0.2%		IIw							50	47



Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Corn Bu	Corn Irrigated Bu	Soybeans Bu	Soybeans Irrigated Bu	Wheat Bu	*n NCCPI Corn	*n NCCPI Soybeans
CnA	Clarendon loamy sand, 0 to 2 percent slopes	2.02	0.2%		llw							36	36
Lcm	Local alluvial land	1.13	0.1%			I							
Gr	Grady fine sandy loam	0.61	0.0%		V w							4	7
Weighted Average					*-	*-	26.5	10.4	9.9	3	12.8	*n 34.6	*n 31.9

Soils Data provided by USDA and NRCS

n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Non Irr Class weighted average cannot be calculated on the current soils data due to missing data.

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.