



Soils Map



State: **Michigan**
 County: **Monroe**
 Location: **1-6S-6E**
 Township: **Dundee**
 Acres: **529.27**
 Date: **12/3/2021**



Maps Provided By:



Soils data provided by USDA and NRCS.

Area Symbol: MI115, Soil Area Version: 19

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Oats Bu	Soybeans Bu	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Soybeans
23A	Metamora sandy loam, 0 to 3 percent slopes	153.23	29.0%		1.5ft.	llw	4.8	125		20		100	40	60	63	56
22	Pewamo clay loam	115.34	21.8%		0ft.	llw	6	130		20		100	42	60	70	62
24	Corunna sandy loam	83.44	15.8%		0ft.	llw	4.5	140		20		105	40	65	62	58
13A	Blount loam, Erie-Huron Lake Plain, 0 to 2 percent slopes	79.76	15.1%		0.7ft.	llw		138		17.7		53.6	45.5	62.4	60	50
17A	Metamora-Corunna sandy loams, 0 to 3 percent slopes	72.80	13.8%		1.5ft.	llw	4.8	125		20		100	40	60	61	54
30	Sloan loam	11.46	2.2%		0.5ft.	V w									48	47
33	Pits-Aquents complex	9.62	1.8%		0ft.											

Soils data provided by USDA and NRCS.





Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay Tons	Corn Bu	Corn Irrigated Bu	Corn silage Tons	Corn silage Irrigated Tons	Oats Bu	Soybeans Bu	Winter wheat Bu	*n NCCPI Overall	*n NCCPI Soybeans
40A	Thetford loamy sand, 0 to 3 percent slopes	3.31	0.6%		1.5ft.	Illw	3.8	85	148	14	22	65	32	35	53	36
51	Pits, quarries	0.19	0.0%		> 6.5ft.											
W	Water	0.12	0.0%		> 6.5ft.											
Weighted Average						2.03	4.1	125.1	0.9	18.8	0.1	89.5	39.6	58.6	*n 62.1	*n 55.1

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils Map



State: **Michigan**
 County: **Monroe**
 Location: **13-5S-7E**
 Township: **London**
 Acres: **165.12**
 Date: **1/17/2021**



Maps Provided By:



Soils data provided by USDA and NRCS.

©2021 AgriData, Inc.

© AgriData, Inc. 2021



www.AgrDataInc.com

Area Symbol: MI115, Soil Area Version: 18

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay	Corn	Corn silage	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans
20A	Selfridge-Pewamo complex, 0 to 3 percent slopes	121.18	73.4%		1.5ft.	Illw	4.2	110	18	70	35	42	60	51
22	Pewamo clay loam	26.96	16.3%		0ft.	Ilw	6	130	20	100	42	60	69	62
19A	Selfridge loamy sand, 0 to 3 percent slopes	10.27	6.2%		0.7ft.	Illw							57	45
23A	Metamora sandy loam, 0 to 3 percent slopes	4.59	2.8%		1.5ft.	Ilw	4.8	125	20	100	40	60	62	55
61	Brookston loam	1.61	1.0%		0ft.	Ilw		145			51	65	75	75
60A	Conover loam, 0 to 3 percent slopes	0.51	0.3%		1.5ft.	Ilw	5	130	19	105	40	65	71	67
Weighted Average							4.2	107.2	17.1	70.8	34.3	43.1	*n 61.5	*n 52.8

Soils data provided by USDA and NRCS.


Soils Map



State: **Michigan**
 County: **Monroe**
 Location: **18-5S-7E**
 Township: **London**
 Acres: **87.63**
 Date: **1/17/2021**



Maps Provided By:





Soils data provided by USDA and NRCS.

Area Symbol: MI115, Soil Area Version: 18																
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay	Com	Corn Irrigated	Corn silage	Corn silage Irrigated	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans
36	Belleville loamy sand	31.93	36.4%		0ft.	Illw	4.5	115		18		90	35	50	28	16
24	Corunna sandy loam	16.89	19.3%		0ft.	Ilw	4.5	140		20		105	40	65	61	57
19A	Selfridge loamy sand, 0 to 3 percent slopes	15.98	18.2%		0.7ft.	Illw									57	45
49B	Oakville fine sand, loamy substratum, 0 to 6 percent slopes	15.57	17.8%		4.5ft.	IVs	3.5	65		12		60		32	44	31
29	Colwood loam	4.25	4.8%		0ft.	Ilw	5.5	140		22		115	45	65	80	80
40A	Thetford loamy sand, 0 to 3 percent slopes	1.90	2.2%		1.5ft.	Illw	3.8	85	148	14	22	65	32	35	53	35
50B	Ottokee fine sand, 0 to 6 percent slopes	1.11	1.3%		2.7ft.	Ills		95					34	40	43	28
Weighted Average							3.5	90.3	3.2	13.9	0.5	70.7	23.8	40.9	*n 45.7	*n 35.5

Soils data provided by USDA and NRCS.

Soils Map



State: **Michigan**
 County: **Monroe**
 Location: **14-5S-6E**
 Township: **Milan**
 Acres: **142.57**
 Date: **1/17/2021**



Maps Provided By:



Soils data provided by USDA and NRCS.



© AgriData, Inc. 2021

www.AgriDataInc.com


Area Symbol: MI115, Soil Area Version: 18																
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay	Corn	Corn Irrigated	Corn silage	Corn silage Irrigated	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans
40A	Thetford loamy sand, 0 to 3 percent slopes	42.12	29.5%		1.5ft.	Illw	3.8	85	148	14	22	65	32	35	53	35
55	Gilford sandy loam	41.18	28.9%		0ft.	Illw		90		1.5		75	32	45	35	15
19A	Selfridge loamy sand, 0 to 3 percent slopes	24.39	17.1%		0.7ft.	Illw									57	45
29	Colwood loam	16.73	11.7%		0ft.	Ilw	5.5	140		22		115	45	65	80	80
44A	Wasepi sandy loam, loamy substratum, 0 to 3 percent slopes	9.85	6.9%		1.5ft.	Illw	4.2	90		15		75	35	45	52	46
100A	Hoytville and Wauseon loams, 0 to 3 percent slopes	8.30	5.8%		0ft.	Ilw		130					46	52	62	61
Weighted Average							2.1	81.3	43.7	8.2	6.5	59.5	29.1	37.1	*n 52.1	*n 38.5

Soils data provided by USDA and NRCS.

Soils Map



State: **Michigan**
 County: **Monroe**
 Location: **21-5S-6E**
 Township: **Milan**
 Acres: **230.61**
 Date: **1/17/2021**




Soils data provided by USDA and NRCS.

Area Symbol: MI115, Soil Area Version: 18


Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay	Corn	Corn silage	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans	
23A	Metamora sandy loam, 0 to 3 percent slopes	73.59	31.9%		1.5ft.	llw	4.8	125	20	100	40	60	62	55	
61	Brookston loam	40.48	17.6%		0ft.	llw		145			51	65	75	75	
22	Pewamo clay loam	30.37	13.2%		0ft.	llw	6	130	20	100	42	60	69	62	
100A	Hoytville and Wauseon loams, 0 to 3 percent slopes	28.91	12.5%		0ft.	llw		130			46	52	62	61	
43A	Nappanee loam, 0 to 3 percent slopes	26.05	11.3%		1.5ft.	llw	5.5	120	19	90	40	55	62	56	
13A	Blount loam, Erie-Huron Lake Plain, 0 to 2 percent slopes	15.33	6.6%		0.7ft.	llw		138	17.7	53.6	45.5	62.4	57	50	
24	Corunna sandy loam	8.67	3.8%		0ft.	llw	4.5	140	20	105	40	65	61	57	
ZfsacA	Ziegenfuss clay loam, 0 to 1 percent slopes	7.21	3.1%		1.8ft.	llw							60	59	
Weighted Average								3.1	126.8	13.1	62.8	42.1	57.8	*n 64.8	*n 60.2

Soils data provided by USDA and NRCS.

Soils Map



Soils data provided by USDA and NRCS.



State: **Michigan**
 County: **Monroe**
 Location: **9-5S-6E**
 Township: **Milan**
 Acres: **40.45**
 Date: **1/17/2021**




Maps Provided By:




Area Symbol: MI115, Soil Area Version: 18														
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Alfalfa hay	Corn	Corn silage	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans
43A	Nappanee loam, 0 to 3 percent slopes	28.25	69.8%		1.5ft.	llw	5.5	120	19	90	40	55	62	56
100A	Hoytville and Wauseon loams, 0 to 3 percent slopes	12.20	30.2%		0ft.	llw		130			46	52	62	61
Weighted Average							3.8	123	13.3	62.9	41.8	54.1	*n 62	*n 57.5

Soils data provided by USDA and NRCS.

Soils Map



Soils data provided by USDA and NRCS.



State: **Michigan**
 County: **Washtenaw**
 Location: **27-4S-6E**
 Township: **York**
 Acres: **29.14**
 Date: **1/17/2021**




Maps Provided By:



© AgriData, Inc. 2021

www.AgriDataInc.com



Area Symbol: MI161, Soil Area Version: 19

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Water Table	Non-Irr Class *c	Corn	Corn silage	Oats	Soybeans	Winter wheat	*n NCCPI Overall	*n NCCPI Soybeans
Ws	Wauseon fine sandy loam	28.25	96.9%		0ft.	Illw	100		70	40	40	64	58
YpA	Ypsi sandy loam, 0 to 4 percent slopes	0.89	3.1%		1.5ft.	lle	110	17	95	37	56	66	58
Weighted Average							100.3	0.5	70.8	39.9	40.5	*n 64.1	*n 58

Soils data provided by USDA and NRCS.