

Soils Map





Michigan State: County: Calhoun Location: 2-2S-7W Township: Emmett Acres: 328.33 5/15/2020 Date:







	ed Soils Ending 1/21/2		I	I	In	laa .	I	1.	_		la .	la .	1
	Soil Description		Percent of field	Non-Irr Class Legend	Restrictive Layer	Soil Drainage	Non-Irr Class *c	Irr Class *c	Cor n	Corn Irrigated	Soybeans	Soybeans Irrigated	Winter wheat
16B	Oshtemo sandy loam, 0 to 6 percent slopes	94.81	28.9%		> 6.5ft.	Well drained	IIIs	Ille	100	165	30	55	45
25A	Kalamazoo loam, 0 to 2 percent slopes	92.10	28.1%		> 6.5ft.	Well drained	lls	lls	105	157	30	52	40
17C	Boyer sandy loam, 6 to 12 percent slopes	41.50	12.6%		> 6.5ft.	Well drained	Ille		69	148	23	45	28
25D	Kalamazoo loam, 12 to 18 percent slopes	41.20	12.5%		> 6.5ft.	Well drained	IVe		3				1
12B	Coloma loamy sand, 0 to 6 percent slopes	20.15	6.1%		> 6.5ft.	Excessively drained	IVs	Ille	9	17	3	5	4
25B	Kalamazoo loam, 2 to 6 percent slopes	12.43	3.8%		> 6.5ft.	Well drained	lle	lle	99	160	30	55	39
16C	Oshtemo sandy loam, 6 to 12 percent slopes	10.13	3.1%		> 6.5ft.	Well drained	IIIe	Ille	90	150	26	50	40
16D	Oshtemo sandy loam, 12 to 18 percent slopes	5.88	1.8%		> 6.5ft.	Well drained	IVe						
17B	Boyer sandy loam, 0 to 6 percent slopes	4.26	1.3%		> 6.5ft.	Well drained	IIIs		72	165	27	50	31
29D	Hillsdale sandy loam, 12 to 18 percent slopes	2.85	0.9%		> 6.5ft.	Well drained	IVe		3				1
17D	Boyer sandy loam, 12 to 18 percent slopes	2.36	0.7%		> 6.5ft.	Well drained	IVe		6				2
16E	Oshtemo sandy loam, 18 to 40 percent slopes	0.46	0.1%		> 6.5ft.	Well drained	VIIe						
12C	Coloma loamy sand, 6 to 12 percent slopes	0.20	0.1%		> 6.5ft.	Excessively drained	VIs		8	15	2	5	3
Weighted Average									75.5	124.3	22.5	40.7	31.3



 $^{\star}\text{c:}$ Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.